

MSDS: according to EC directive 2001/58/EC and the REACH regulation 1907/2006 Annex II

RUBIO MONOCOAT SOAP SATIN STRIPPER

1. Identification of the substance/preparation and of the company/undertaking

Trade name : RUBIO MONOCOAT SOAP SATIN STRIPPER
Name : RUBIO MONOCOAT SOAP SATIN STRIPPER
Main use category : Professional use
Consumer use
Company/undertaking identification : Muylle Facon - Rubio Monocoat
Ambachtenstraat 58
8870 Izegem
Belgium
Tel.:+32 (0) 51 30 80 54
Fax:+32 (0) 51 30 99 78
E-mail: info@muyllefacon.be
Website: www.muyllefacon.be
Responsible : safety@muyllefacon.be

2. Hazards identification

Classified dangerous in accordance with Directives 67/548/EEC and 1999/45/EC

Hazard symbols :



Xi

Xi - Irritant

R-phrases : Irritating to eyes and skin.
Fire hazard : Not flammable

3. Composition/information on ingredients

Classified dangerous in accordance with Directives 67/548/EEC and 1999/45/EC

Composition							
Name	Hazard symbols	CAS No.	EC no	EC index no	R-phrases	Reach	%
Sodium hydroxide	C	1310-73-2	215-185-5	011-002-00-6	R35		> 0,01% < 1%
Propan-2-ol	F,Xi	67-63-0	200-661-7	603-117-00-0	R11, R36, R67		> 0,01% < 1%
2-butoxyethanol	Xn	111-76-2	203-905-0	603-014-00-0	R20/21/2 2, R36/38		> 1% < 10%

A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)	T,N	55965-84-9		613-167-00-5	R23/24/25, R34, R43, R50/53	> 0,01% < 1%
Nitrilotriacetic acid[NTA]	Xi	139-13-9	205-355-7		R36	> 1% < 10%
Alcohol(C11)EO (2-5)	Xi	68131-39-5	500-195-7		R41	> 1% < 10%
Disodiumalkyl(lauryl)amphodipropionate	Xi	68929-04-4	273-035-4		R36/38	> 1% < 10%

4. First aid measures

Symptoms/injuries after eye contact	: redness, pain, mild eye irritation
Symptoms/injuries after skin contact	: redness
Symptoms/injuries after inhalation	: Inhalation may cause: irritation, cough, short breathing
Symptoms/injuries after ingestion	: Abdominal pain - May cause gastrointestinal irritation, nausea, vomiting and diarrhoea
First-aid measures after inhalation	: Move to fresh air in case of accidental inhalation
First-aid measures after skin contact	: IF ON SKIN: Wash with plenty of soap and water.
First-aid measures after eye contact	: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - Take victim to an ophthalmologist if irritation persists
First-aid measures after ingestion	: Rinse mouth. - In all cases of doubt, or when symptoms persist, seek medical attention

5. Fire fighting measures

Extinguishing agents - fire fighting instructions	: Use water spray or fog for cooling exposed containers.
Fire hazard	: Not flammable
Reactivity	: None under normal use
Personal protection (Emergency response)	: Refer to chapter 8.
Other information	: Exercise caution when fighting any chemical fire.

6. Accidental release measures

Personal protection (Emergency response)	: Refer to chapter 8.
Handling the product	: Reduce/avoid exposure and/or contact
Disposal	: Disposal must be done according to official regulations.
Methods for cleaning	: Take up liquid spill into inert absorbent material, e.g.: sand/earth

7. Handling and storage

Handling the product	: Reduce/avoid exposure and/or contact
----------------------	--

8. Exposure controls / Personal protection equipment

Respiratory protection	: Ensure adequate ventilation
------------------------	-------------------------------

- Hand protection : under the recommended handling conditions: not required.
Eye protection : under the recommended handling conditions: not required. In case of risky circumstances: safety glasses or face shield
Skin and body protection : under the recommended handling conditions: not required
Handling the product : Reduce/avoid exposure and/or contact

9. Physical and chemical properties

- Physical state : Liquid
Odour : characteristic
Colour : colourless
Boiling point : 100 °C
Density : 1,04 kg/l
pH : 13

All properties are determined in accordance with the specifications laid down in the Commission Regulation on testing methods referred to in Article 13(3) or any other comparable method.

10. Stability and reactivity

- Reactivity : None under normal use

11. Toxicological information

- General toxicity : No data available
- Symptoms/injuries after skin contact : redness
Symptoms/injuries after inhalation : Inhalation may cause: irritation, cough, short breathing
Symptoms/injuries after ingestion : Abdominal pain - May cause gastrointestinal irritation, nausea, vomiting and diarrhoea
Symptoms/injuries after eye contact : redness, pain, mild eye irritation

12. Ecological information

- Ecology - general : No ecotoxicological data about this product are known

13. Disposal considerations

- Ecology - general : No ecotoxicological data about this product are known
Disposal : Disposal must be done according to official regulations.

14. Transport information

- Transport regulations (ADR) : Not applicable
Transport regulations (RID) : Not applicable
Transport regulations (IMDG) : Not applicable
Transport regulations (ICAO) : Not applicable

15. Regulatory information

A mixture of: 5-chloro-2-methyl-2H-isothiazol-3-one [EC No 247-500-7] and 2-methyl-2H-isothiazol-3-one [EC No 220-239-6] (3:1)

Information about Chemical Safety Assessment is public domain

Hazard symbols

:



Xi

R-phrases

: R36/38 - Irritating to eyes and skin.

Classified dangerous in accordance with Directives 67/548/EEC and 1999/45/EC

S-phrases

: S2 - Keep out of the reach of children.
S24 - Avoid contact with skin.
S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Classified dangerous in accordance with Directives 67/548/EEC and 1999/45/EC

16. Other information

R-Phrases components

R11	Highly flammable.
R20/21/22	Harmful by inhalation, in contact with skin and if swallowed.
R23/24/25	Toxic by inhalation, in contact with skin and if swallowed.
R34	Causes burns.
R35	Causes severe burns.
R36	Irritating to eyes.
R36/38	Irritating to eyes and skin.
R41	Risk of serious damage to eyes.
R43	May cause sensitisation by skin contact.
R50/53	Very toxic to aquatic organisms, may cause long-term adverse effects in the aquatic environment.
R67	Vapours may cause drowsiness and dizziness.
Version	: 2.1
Revision date	: 28/09/2012

MSDS: according to EC directive 2001/58/EC and the REACH regulation 1907/2006 Annex II

REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number).

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.