

MSDS: according to EC directive 2001/58/EC and the REACH regulation 1907/2006 Annex II

RUBIO MONOCOAT MAINTENANCE OIL

1. Identification of the substance/preparation and of the company/undertaking

Trade name : RUBIO MONOCOAT MAINTENANCE OIL
Name : RUBIO MONOCOAT MAINTENANCE OIL
Chemical name : RUBIO MONOCOAT MAINTENANCE OIL
Main use category : Professional use
Consumer use
Company/undertaking identification : Muylle Facon - Rubio Monocoat
Ambachtenstraat 58
8870 Izegem
Belgium
Tel.:+32 (0) 51 30 80 54
Fax:+32 (0) 51 30 99 78
E-mail: info@muyllefacon.be
Website: www.muyllefacon.be
Responsible : safety@muyllefacon.be

2. Hazards identification

Classified dangerous in accordance with Directives 67/548/EEC and 1999/45/EC

Hazard symbols :



Xn

Xn - Harmful

R-phrases : Harmful: may cause lung damage if swallowed., Repeated exposure may cause skin dryness or cracking.
Fire hazard : Fire may liberate carbon oxides (CO) and smoke.

3. Composition/information on ingredients

Classified dangerous in accordance with Directives 67/548/EEC and 1999/45/EC

Composition							
Name	Hazard symbols	CAS No.	EC no	EC index no	R-phrases	Reach	%
Alkanes (C11-15)	Xn	CONFIDENTIAL	CONFIDENTIAL		R65, R66		< 25%

4. First aid measures

- Symptoms/injuries after eye contact : Can occur: irritation
- Symptoms/injuries after skin contact : Contact during a long period may cause light irritation
- Symptoms/injuries after inhalation : None under normal use
- Symptoms/injuries after ingestion : May cause gastrointestinal irritation, nausea, vomiting and diarrhoea

- First-aid measures after inhalation : Move to fresh air in case of accidental inhalation
- First-aid measures after skin contact : IF ON SKIN: Wash with plenty of soap and water.
- First-aid measures after eye contact : IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. - Take victim to an ophthalmologist if irritation persists

- First-aid measures after ingestion : Do NOT induce vomiting. - If swallowed, seek medical advice immediately and show this container or label.

5. Fire fighting measures

- General measures : No naked flames, sparks, and do not smoke
- Extinguishing agents - fire fighting instructions : carbon dioxide (CO₂), dry chemical powder, foam
- Fire hazard : Fire may liberate carbon oxides (CO) and smoke.
- Reactivity : Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction

- Personal protection (Emergency response) : Refer to chapter 8.
- Other information : Use water spray or fog for cooling exposed containers.

6. Accidental release measures

- General measures : No naked flames, sparks, and do not smoke
- Personal protection (Emergency response) : Refer to chapter 8.
- Handling the product : Do no eat, drink or smoke when using this product. - Keep away from sources of ignition - No smoking.

- Disposal : Disposal must be done according to official regulations. - Collect spillage.

- Methods for cleaning : Clean up any spills as soon as possible, using an inert absorbent material and eliminate as hazardous waste.

7. Handling and storage

- Handling the product : Do no eat, drink or smoke when using this product. Keep away from sources of ignition - No smoking.

8. Exposure controls / Personal protection equipment

- Respiratory protection : Not necessary with sufficient ventilation
- Eye protection : under the recommended handling conditions: not required. In case of risky circumstances: safety glasses or face shield

- Handling the product : Do no eat, drink or smoke when using this product. Keep away from sources of ignition - No smoking.

9. Physical and chemical properties

Physical state	: Liquid
Odour	: Oily
Flash point	: > 62 °C
Density	: > 0,9 kg/l
VOC content	: 280 g/l

All properties are determined in accordance with the specifications laid down in the Commission Regulation on testing methods referred to in Article 13(3) or any other comparable method.

10. Stability and reactivity

Conditions to avoid	: Keep away from heat/sparks/open flames/hot surfaces. — No smoking.
Reactivity	: Keep away from oxidising agents and strongly alkaline and strongly acidic materials to prevent the possibility of exothermic reaction
Hazardous decomposition products	: Fire may liberate carbon oxides (CO) and smoke.

11. Toxicological information

Symptoms/injuries after skin contact	: Contact during a long period may cause light irritation
Symptoms/injuries after inhalation	: None under normal use
Symptoms/injuries after ingestion	: May cause gastrointestinal irritation, nausea, vomiting and diarrhoea
Symptoms/injuries after eye contact	: Can occur: irritation

12. Ecological information

Ecology - general	: No ecotoxicological data about this product are known - Avoid release to the environment. - Product may not flow into sewer or superficial water
-------------------	--

13. Disposal considerations

Ecology - general	: No ecotoxicological data about this product are known - Avoid release to the environment. - Product may not flow into sewer or superficial water
Disposal	: Disposal must be done according to official regulations. - Collect spillage.

14. Transport information

Transport regulations (ADR)	: Not applicable
Transport regulations (RID)	: Not applicable
Transport regulations (IMDG)	: Not applicable
Transport regulations (ICAO)	: Not applicable

15. Regulatory information

Label name	: Rubio Monocoat Maintenance Oil
Alkanes (C11-15)	

Information about Chemical Safety Assessment is public domain

Hazard symbols

:



Xn

R-phrases

:

R65 - Harmful: may cause lung damage if swallowed.
R66 - Repeated exposure may cause skin dryness or cracking.

Classified dangerous in accordance with Directives 67/548/EEC and 1999/45/EC

S-phrases

:

S2 - Keep out of the reach of children.
S24 - Avoid contact with skin.
S62 - If swallowed, do not induce vomiting: seek medical advice immediately and show this container or label.

Classified dangerous in accordance with Directives 67/548/EEC and 1999/45/EC

16. Other information

R-Phrases components

R65

Harmful: may cause lung damage if swallowed.

R66

Repeated exposure may cause skin dryness or cracking.

Version

: 2.1

Revision date

: 28/09/2012

MSDS: according to EC directive 2001/58/EC and the REACH regulation 1907/2006 Annex II

REACH Disclaimer:

This information is based on current knowledge. Consistency of data in the SDS with CSR is considered, as far as the information is available at the time of compilation (cfr Revision date and Version number).

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.